## Statistics Report 18538, ARCHWAY Home Style Cookies, Oatmeal Raisin

Report Date: July 04, 2017 18:39 EDT

Nutrient values and weights are for edible portion.

| Nutrient Proximates         | Unit | Value<br>Per100 g | Data<br>Points Std. I | Error | Min | Max | df | LB | UB | # Studies Source   | NDB Ref | Last<br>Modified |
|-----------------------------|------|-------------------|-----------------------|-------|-----|-----|----|----|----|--|---------|------------------|
| Water                       | g    | 11.53             | 1                     |       |     |     |    |    |    | Calculated by manufacturer, not adjusted or rounded for NLEA |         | 11/2005          |
| Energy                      | kcal | 406               | 1                     |       |     |     |    |    |    | Calculated or imputed  |         | 11/2005          |
| Energy                      | kJ   | 1701              |                       |       |     |     |    |    |    | Calculated or imputed  |         | 11/2005          |
| Protein                     | g    | 5.17              | 1                     |       |     |     |    |    |    | Calculated by manufacturer, not adjusted or rounded for NLEA |         | 11/2005          |
| Total lipid (fat)           | g    | 12.08             | 1                     |       | 7   |     |    |    |    | Calculated by manufacturer, not adjusted or rounded for NLEA |         | 11/2005          |
| Ash                         | g    | 1.95              | 1                     |       |     |     |    |    |    | Calculated by manufacturer, not adjusted or rounded for NLEA |         | 11/2005          |
| Carbohydrate, by difference | g    | 69.27             | 1                     |       |     |     |    |    |    | Calculated by manufacturer, not adjusted or rounded for NLEA |         | 11/2005          |

| Nutrient                       | Unit | Value<br>Per100 g | Data<br>Points | d. Error | Min | Max | df | LB | UB | # Studies | Source   | NDB Ref | Last<br>Modified |
|--------------------------------|------|-------------------|----------------|----------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Fiber, total dietary           | g    | 2.7               | 1              |          |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Sugars, total                  | g    | 39.55             | 1              |          | -   |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Minerals                       |      |                   |                |          |     |     |    |    |    |           | Calculated by  |         |                  |
| Calcium, Ca                    | mg   | 38                | 1              |          |     |     |    |    |    |           | manufacturer, not adjusted or rounded for NLEA                           |         | 11/2005          |
| Iron, Fe                       | mg   | 2.40              | 1              |          |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Potassium, K                   | mg   | 285               | 1              |          |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Sodium, Na                     | mg   | 339               | 1              |          |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Vitamins                       |      |                   |                |          |     |     |    |    |    |           | Calculated by  |         |                  |
| Vitamin C, total ascorbic acid | mg   | 0.0               | 1              |          |     |     |    |    |    |           | manufacturer, not adjusted or rounded for NLEA                           |         | 11/2005          |
| Thiamin                        | mg   | 0.280             | 1              |          |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |

| Nutrient                           | Unit | Value<br>Per100 g | Data<br>Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source   | NDB Ref | Last<br>Modified |
|------------------------------------|------|-------------------|----------------|------------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Riboflavin                         | mg   | 0.160             | 1              |            |     |     |    | -  |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Niacin                             | mg   | 1.690             | 1              |            |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Folate, total                      | μg   | 47                | 1              |            |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Vitamin A, IU                      | IU   | 15                | 1              |            |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Lipids                             |      |                   |                |            |     |     |    |    |    |           | Calculated by  |         |                  |
| Fatty acids, total saturated       | g    | 2.750             | 1              |            |     |     |    |    |    |           | manufacturer, not adjusted or rounded for NLEA                           |         | 11/2005          |
| Fatty acids, total monounsaturated | g    | 4.850             | 1              |            |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Fatty acids, total polyunsaturated | g    | 1.160             | 1              |            |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |
| Fatty acids, total trans           | g    | 3.320             | 1              |            |     |     |    |    |    |           | Calculated by<br>manufacturer,<br>not adjusted<br>or rounded<br>for NLEA |         | 11/2005          |

USDA National Nutrient Database for Standard Reference Release 28 slightly revised May, 2016 Statistics Report July 04, 2017 18:39 EDT Page 4 of 4

| Nutrient    | Unit | Value<br>Per100 g | Data<br>Points Std. Error | Min | Max | df | LB | UB | # Studies | Source        | NDB Ref | Last<br>Modified |
|-------------|------|-------------------|---------------------------|-----|-----|----|----|----|-----------|---------------|---------|------------------|
|             |      |                   |                           |     |     |    |    |    |           | Calculated by |         |                  |
|             |      |                   |                           |     |     |    |    |    |           | manufacturer, |         |                  |
| Cholesterol | mg   | 8                 | 1                         |     |     |    |    |    |           | not adjusted  |         | 11/2005          |
|             |      |                   |                           |     |     |    |    |    |           | or rounded    |         |                  |
|             |      |                   |                           |     |     |    |    |    |           | for NLEA      |         |                  |